

Clinical Resources

Frequently Asked Questions

- [Validated Musculoskeletal Processes Allowash XG[®]: Safety with Confidence](#) ^[3]
- [Allowash and Allowash XG[®]](#) ^[4]
- [Viral and Bacterial Effectiveness of Allowash XG[®]](#) ^[5]
- [Sterilization Process Validation](#) ^[6]
- [When is a 510k required - ViviGen](#) ^[7]
- [Transportation of ViviGen Tissue](#) ^[8]
- [Appropriate ViviGen Temperature](#) ^[9]
- [Appropriate ViviGen Storage](#) ^[10]
- [Unique Device Identification \(UDI\)](#) ^[11]
- [Healthcare Compliance and Physician Payments Sunshine Act](#) ^[12]
- [Do LifeNet Health Products Contain Synthetic Peptides?](#) ^[13]
- [Preservon[®] Technology](#) ^[14]
- [Allowash XG[®]](#) ^[15]
- [Validated Musculoskeletal Processes, Allowash XG[®]: Safety with Confidence](#) ^[16]
- [Accreditations, Certifications, and Registrations](#) ^[17]
- [Pre-Processing Testing](#) ^[18]
- [Post-Processing Testing](#) ^[19]
- [Sterilization Process Validation](#) ^[20]
- [Viral and Bacterial Effectiveness of Allowash XG[®]](#) ^[21]
- [Allowash[®] and Allowash XG[®]](#) ^[22]
- [Cytomegalovirus](#) ^[23]
- [Bacteria & Fungi](#) ^[24]
- [Hepatitis](#) ^[25]
- [Syphilis](#) ^[26]
- [West Nile Virus](#) ^[27]
- [Severe Acute Respiratory Syndrome \(SARS\)](#) ^[28]
- [Chagas Disease](#) ^[29]
- [Quality Control & Post-Processing Testing](#) ^[30]
- [What is Zika Virus?](#) ^[31]
- [MATRACELL[®]- What is Zika Virus?](#) ^[32]
- [Decellularized Dermis Packaging Summary](#) ^[33]
- [Are Bone Allografts from Living Donors Safer or of Higher Quality?](#) ^[34]
- [ArthroFlex Return Instructions](#) ^[35]
- [Decellularized Dermis - Storage Shipping and Returns](#) ^[36]

Clinical References

Craniomaxillofacial

- [Cartilage Clinical Review](#) ^[37]

Cardiovascular

- [Aortoiliac Allograft Outer Diameter Measurement: Why Pressurization Matters](#) ^[38]
- [A Review on the Use of Cryopreserved Aortoiliac Allografts](#) ^[39]
- [Allografts remain a cornerstone of surgical treatment of invasive and destructive aortic valve infective endocarditis: Surgeon and technique do matter!](#) ^[40]

Dental

- [Dental Compendium](#) ^[41]

LifeSciences

- [Receiving, Thawing, and Plating Cryopreserved Human Hepatocytes](#) ^[42]
- [Human Primary Hepatocytes](#) ^[43]

Orthobiologics

- [Characterization of ReadiGraft BLX Fibers, an Optimal Scaffold for Bone Healing](#) ^[44]
- [Use of Demineralized Bone Matrices \(DBMs\) and Glycerol-Carrier](#) ^[45]
- [Glycerol Safety and Bone Void Fillers](#) ^[46]

Spine

- [Representative Clinical Reports Using VertiGRAFT and IC Graft Chamber](#) ^[47]
- [Anterior Cervical Discectomy and Fusion](#) ^[48]
- [Patient Experience with ViviGen in a Multilevel ACDF and Fusion with Revision](#) ^[49]
- [Characterization of ViviGen Formable Cellular Bone Matrix Demineralized Bone Fibers](#) ^[50]

- [ViviGen is Designed to Minimize Acute Immune Potential](#)^[51]

Sports Medicine

- [Biomechanical Testing for GraftLink[®] \[2\]-TS for ACL and PCL Reconstruction](#)^[52]
- [Representative Clinical Reports Using ArthroFLEX in Sports Medicine Procedures](#)^[53]
- [Representative Clinical Reports Using ArthroFlex SCR Compendium](#)^[54]
- [Use of Controlled Low Dose Gamma Irradiation to Sterilize Allograft Tendons for ACL Reconstruction: Biomechanical and Clinical Perspective](#)^[55]
- [XVIVOTM Serum-Free Media Use in the Storage of Viable Osteochondral Allografts](#)^[56]
- [Representative Clinical Reports in Sports Medicine Procedures](#)^[57]
- [Biological Incorporation of ArthroFlex in Superior Capsular Reconstruction for Irreparable Rotator Cuff Repair](#)^[58]
- [Article Review: Revision Risk After Allograft Anterior Cruciate Ligament Reconstruction \(Kaiser Study\)](#)^[59]

Trauma

- [Case Study 1: Ankle and Hindfoot Arthrodesis Using ViviGen Cellular Bone Matrix](#)^[60]
- [Case Study 2: Ankle and Hindfoot Arthrodesis Using ViviGen Cellular Bone Matrix](#)^[61]
- [Case Study 3: Ankle and Hindfoot Arthrodesis Using ViviGen Cellular Bone Matrix](#)^[62]
- [Characterization of ViviGen Formable Cellular Bone Matrix Demineralized Bone Fibers](#)^[60]
- [ViviGen is Designed to Minimize Acute Immune Potential](#)^[51]
- [Treatment of Pes Planovalgus Deformity following Failed Arthrodesis in a Patient with a History of Non-union using a Synamign[®] Evans Osteotomy Wedge](#)^[63]

Wound Management & Reconstructive Surgery

- [Quantitative Analysis of Collagens in Dermacell, Apligraf, and Dermagraft](#)^[64]
 - [Representative Clinical Reports Using DermACELL-Wound](#)^[65]
 - [Case Study: Barysch-Treatment of Melanoma with Human Acellular Dermal Matrix \(ADM\)](#)^[66]
 - [Case Study 1: Abdalaziz- Use of Dermacell AWM in the Treatment of a DFU](#)^[67]
 - [Case Study 2: Abdalaziz- Use of Dermacell AWM in the Treatment of a DFU](#)^[68]
 - [Comparison of AlloMax versus DermACELL](#)^[69]
 - [Superficial Spreading Basal Cell Carcinoma of the Nose Case Study \(LNH ADM\)](#)^[70]
 - [Superficial Spreading Basal Cell Carcinoma of the Nose Case Study](#)^[71]
 - [Article in Review: Dermacell AWM[®] in the Treatment of Large Diabetic Foot Ulcers with Exposed Tendon and Bone](#)^[72]
-
- [Use of Demineralized Bone Matrices \(DBMs\) and Glycerol - Carrier](#)^[73]
 - [Safety and Effectiveness of Bone Allografts in Anterior Cervical Discectomy and Fusion Surgery](#)^[74]
 - [Radiographic Fusion Rates for Anterior Cervical Discectomy and Fusion using Frozen Laminated Composite Allograft and Plating](#)^[75]
 - [Peroneus Longus & Posterior Tibialis Bio-implants in Knee Reconstruction](#)^[76]
 - [Clinical Evaluation of a Novel Room Temp Storage Technology Bone Allograft in Cervical Spine Fusion](#)^[77]
 - [Augmenting Rotator Cuff Repairs with ArthroFlex can Improve Clinical Outcomes](#)^[78]
 - [CardioGraft-MC CardioGRAFT-MC[™] \(also known as MatrACELL[®]\) Decellularized Cardiac Patch Allograft Cost-Effectiveness Analysis](#)^[2]
 - [LNH ReadiGraft BLX DBM Putty vs. Autograft in a PLF Study](#)^[79]
 - [LNH ReadiGraft BLX DBM Putty vs. Autograft in a PLF Study - Italian Version](#)^[80]
 - [LNH ReadiGraft BLX DBM Putty vs. a DBM with a Glycerol Carrier in a PLF Study](#)^[81]
 - [LNH ReadiGraft BLX DBM Putty vs. a DBM with a Glycerol Carrier in a PLF Study - Italian Version](#)^[82]
 - [LNH ReadiGraft BLX DBM Putty vs. a DBM with a Glycerol Carrier in a Critical Sized Calvarial Defect Study](#)^[83]
 - [LNH ReadiGraft BLX DBM Putty vs. a DBM with a Glycerol Carrier in a Critical Sized Calvarial Defect Study - Italian Version](#)^[84]
 - [LNH BLX DBM Putty vs. Autograft in a Critical Sized Calvarial Defect Study](#)^[85]
 - [LNH BLX DBM Putty vs. Autograft in a Critical Sized Calvarial Defect Study - Italian Version](#)^[86]
 - [Representative Clinical Reports Using ArthroFLEX in Sports Medicine Procedures](#)^[87]
 - [Ensuring the Safety of Allograft Dermal Tissue](#)^[88]

Source URL: <https://www.lifenethealth.org/healthcare-professionals/clinical-resources>

Links

- [https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20Validated%20Musculoskeletal%20Processes%2C%20Allowash%20XG%2C%20Safety%20with%20Confidence\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20Validated%20Musculoskeletal%20Processes%2C%20Allowash%20XG%2C%20Safety%20with%20Confidence(1).pdf)
- [https://www.lifenethealth.org/sites/default/files/files/WP%20-%20CardioGRAFT-MC%E2%84%A2%20\(also%20known%20as%20MatrACELL%C2%AE\)%20Decellularized%20Cardiac%20Patch%20Allograft%20Cost-Effectiveness%20Analysis.pdf](https://www.lifenethealth.org/sites/default/files/files/WP%20-%20CardioGRAFT-MC%E2%84%A2%20(also%20known%20as%20MatrACELL%C2%AE)%20Decellularized%20Cardiac%20Patch%20Allograft%20Cost-Effectiveness%20Analysis.pdf)
- [https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20Validated%20Musculoskeletal%20Processes%2C%20Allowash%20XG%2C%20Safety%20with%20Confidence\(2\).pdf](https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20Validated%20Musculoskeletal%20Processes%2C%20Allowash%20XG%2C%20Safety%20with%20Confidence(2).pdf)
- <https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20Allowash%20and%20Allowash%20XG.pdf>
- https://www.lifenethealth.org/sites/default/files/files/68-30-038_02.pdf
- https://www.lifenethealth.org/sites/default/files/files/68-30-037_01.pdf
- [https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20When%20is%20a%20510\(k\)%20required%20%E2%80%93%20ViviGen.pdf](https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20When%20is%20a%20510(k)%20required%20%E2%80%93%20ViviGen.pdf)
- <https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20Transport%20of%20ViviGen%20Tissue.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20Appropriate%20ViviGen%20Temperature.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20Appropriate%20ViviGen%20Storage.pdf>
- [https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20Unique%20Device%20Identification%20\(UDI\).pdf](https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20Unique%20Device%20Identification%20(UDI).pdf)
- <https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20Healthcare%20Compliance%20and%20Physician%20Payments%20Sunshine%20Act.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/FAQ%20-%20Do%20Lifeline%20Health%20Products%20Contain%20Synthetic%20Peptides.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/68-30-004.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/68-30-007.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/68-30-014.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/68-30-015.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/68-30-017.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/68-30-018.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/68-30-037.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/68-30-038.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/68-30-039.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/68-30-054.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/68-30-055.pdf>
- <https://www.lifenethealth.org/sites/default/files/files/68-30-056.pdf>

[26] <https://www.lifenethealth.org/sites/default/files/files/68-30-057.pdf>

[27] <https://www.lifenethealth.org/sites/default/files/files/68-30-058.pdf>

[28] <https://www.lifenethealth.org/sites/default/files/files/68-30-059.pdf>

[29] <https://www.lifenethealth.org/sites/default/files/files/68-30-060.pdf>

[30] <https://www.lifenethealth.org/sites/default/files/files/68-30-116.pdf>

[31] <https://www.lifenethealth.org/sites/default/files/files/68-30-131-01.pdf>

[32] <https://www.lifenethealth.org/sites/default/files/files/68-30-131-02.pdf>

[33] <https://www.lifenethealth.org/sites/default/files/files/68-30-133.pdf>

[34] <https://www.lifenethealth.org/sites/default/files/files/68-30-142.pdf>

[35] <https://www.lifenethealth.org/sites/default/files/files/ArthroFlex%20Return%20Instructions.pdf>

[36] <https://www.lifenethealth.org/sites/default/files/files/Decellularized%20Dermis%20-%20Storage%2C%20Shipping%20and%20Returns.pdf>

[37] [https://www.lifenethealth.org/sites/default/files/files/68-20-183\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-183(1).pdf)

[38] [https://www.lifenethealth.org/sites/default/files/files/68-20-185\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-185(1).pdf)

[39] [https://www.lifenethealth.org/sites/default/files/files/68-20-184\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-184(1).pdf)

[40] [https://www.jtcvs.org/article/S0022-5223\(17\)31725-7/fulltext](https://www.jtcvs.org/article/S0022-5223(17)31725-7/fulltext)

[41] <https://www.lifenethealth.org/dental-more-supporting-literature>

[42] [https://www.lifenethealth.org/sites/default/files/files/68-20-180\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-180(1).pdf)

[43] [https://www.lifenethealth.org/sites/default/files/files/68-20-178\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-178(1).pdf)

[44] [https://www.lifenethealth.org/sites/default/files/files/68-20-181\(3\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-181(3).pdf)

[45] [https://www.lifenethealth.org/sites/default/files/files/68-20-068\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-068(1).pdf)

[46] [https://www.lifenethealth.org/sites/default/files/files/68-20-069\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-069(1).pdf)

[47] [https://www.lifenethealth.org/sites/default/files/files/68-20-165\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-165(1).pdf)

[48] [https://www.lifenethealth.org/sites/default/files/files/68-20-170\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-170(1).pdf)

[49] [https://www.lifenethealth.org/sites/default/files/files/68-20-171\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-171(1).pdf)

[50] [https://www.lifenethealth.org/sites/default/files/files/68-20-173\(2\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-173(2).pdf)

[51] [https://www.lifenethealth.org/sites/default/files/files/68-20-162\(2\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-162(2).pdf)

[52] [https://www.lifenethealth.org/sites/default/files/files/68-20-197\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-197(1).pdf)

[53] [https://www.lifenethealth.org/sites/default/files/files/68-20-085\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-085(1).pdf)

[54] [https://www.lifenethealth.org/sites/default/files/files/68-20-174\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-174(1).pdf)

[55] [https://www.lifenethealth.org/sites/default/files/files/68-20-023\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-023(1).pdf)

[56] [https://www.lifenethealth.org/sites/default/files/files/68-20-182\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-182(1).pdf)

[57] [https://www.lifenethealth.org/sites/default/files/files/68-20-083\(3\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-083(3).pdf)

[58] [https://www.lifenethealth.org/sites/default/files/files/68-20-168\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-168(1).pdf)

[59] [https://www.lifenethealth.org/sites/default/files/files/68-20-172\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-172(1).pdf)

[60] [https://www.lifenethealth.org/sites/default/files/files/68-20-206\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-206(1).pdf)

[61] [https://www.lifenethealth.org/sites/default/files/files/68-20-207\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-207(1).pdf)

[62] [https://www.lifenethealth.org/sites/default/files/files/68-20-208\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-208(1).pdf)

[63] <https://www.lifenethealth.org/sites/default/files/files/68-20-258.pdf>

[64] [https://www.lifenethealth.org/sites/default/files/files/68-20-064\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-064(1).pdf)

[65] [https://www.lifenethealth.org/sites/default/files/files/68-20-143-01\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-143-01(1).pdf)

[66] [https://www.lifenethealth.org/sites/default/files/files/68-20-195\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-195(1).pdf)

[67] [https://www.lifenethealth.org/sites/default/files/files/68-20-189\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-189(1).pdf)

[68] [https://www.lifenethealth.org/sites/default/files/files/68-20-190\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-190(1).pdf)

[69] [https://www.lifenethealth.org/sites/default/files/files/68-20-177\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-177(1).pdf)

[70] [https://www.lifenethealth.org/sites/default/files/files/68-20-161\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-161(1).pdf)

[71] [https://www.lifenethealth.org/sites/default/files/files/68-20-160\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/68-20-160(1).pdf)

[72] https://www.lifenethealth.org/sites/default/files/files/dermacell%20deep%20wound%2068-20-252_00%20v7.pdf

[73] https://www.lifenethealth.org/sites/default/files/files/68-20-068_01.pdf

[74] <https://www.lifenethealth.org/sites/default/files/files/WP%20-%20Safety%20and%20Effectiveness%20of%20Bone%20Allografts%20in%20Anterior%20Cervical%20Discectomy%20and%20Fusion%20Surgery.pdf>

[75] <https://www.lifenethealth.org/sites/default/files/files/WP%20-%20Radiographic%20Fusion%20Rates%20for%20Anterior%20Cervical%20Discectomy%20and%20Fusion%20Using%20Frozen%20Laminated%20Composite%20Allograft%20and%20Plating.pdf>

[76] <https://www.lifenethealth.org/sites/default/files/files/WP%20-%20Peroneus%20Longus%20-%26%20Posterior%20Tibialis%20Bio-Implants%20in%20Knee%20Reconstruction.pdf>

[77] <https://www.lifenethealth.org/sites/default/files/files/WP%20-%20Clinical%20Evaluation%20of%20a%20Novel%20Room%20Temp%20Storage%20Technology%20Bone%20Allograft%20in%20Cervical%20Spine%20Fusion.pdf>

[78] <https://www.lifenethealth.org/sites/default/files/files/WP%20-%20Augmenting%20Rotor%20Cuff%20Repairs%20with%20ArthroFLEX%20Can%20Improve%20Clinical%20Outcomes.pdf>

[79] https://www.lifenethealth.org/sites/default/files/files/WP%20-%20LNH%20ReadiGraft%20BLX%20DBM%20Putty%20vs_%20Autograft%20in%20a%20PLF%20Study.pdf

[80] [https://www.lifenethealth.org/sites/default/files/files/WP%20-%20LNH%20ReadiGraft%20BLX%20DBM%20Putty%20vs_%20Autograft%20in%20a%20PLF%20Study%20-%20Italian%20Version\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/WP%20-%20LNH%20ReadiGraft%20BLX%20DBM%20Putty%20vs_%20Autograft%20in%20a%20PLF%20Study%20-%20Italian%20Version(1).pdf)

[81] [https://www.lifenethealth.org/sites/default/files/files/WP%20-%20LNH%20ReadiGraft%20BLX%20DBM%20Putty%20vs_%20a%20DBM%20with%20a%20Glycerol%20Carrier%20in%20a%20PLF%20Study\(1\).pdf](https://www.lifenethealth.org/sites/default/files/files/WP%20-%20LNH%20ReadiGraft%20BLX%20DBM%20Putty%20vs_%20a%20DBM%20with%20a%20Glycerol%20Carrier%20in%20a%20PLF%20Study(1).pdf)

[82] https://www.lifenethealth.org/sites/default/files/files/WP%20-%20LNH%20ReadiGraft%20BLX%20DBM%20Putty%20vs_%20a%20DBM%20with%20a%20Glycerol%20Carrier%20in%20a%20PLF%20Study%20-%20Italian%20Version.pdf

[83] https://www.lifenethealth.org/sites/default/files/files/WP%20-%20LNH%20ReadiGraft%20BLX%20DBM%20Putty%20vs_%20a%20DBM%20with%20a%20Glycerol%20Carrier%20in%20a%20Critical%20Sized%20Calvarial%20Defect%20Study.pdf

[84] https://www.lifenethealth.org/sites/default/files/files/WP%20-%20LNH%20ReadiGraft%20BLX%20DBM%20Putty%20vs_%20a%20DBM%20with%20a%20Glycerol%20Carrier%20in%20a%20Critical%20Sized%20Calvarial%20Defect%20Study%20-%20Italian%20Version.pdf

[85] https://www.lifenethealth.org/sites/default/files/files/WP%20-%20LNH%20BLX%20DBM%20Putty%20vs_%20Autograft%20in%20a%20Critical%20Sized%20Calvarial%20Defect%20Study.pdf

[86] https://www.lifenethealth.org/sites/default/files/files/WP%20-%20LNH%20BLX%20DBM%20Putty%20vs_%20Autograft%20in%20a%20Critical%20Sized%20Calvarial%20Defect%20Study%20-%20Italian%20Version.pdf

[87] <https://www.lifenethealth.org/sites/default/files/files/WP%20-%20Representative%20Clinical%20Reports%20Using%20ArthroFLEX%20in%20Sports%20Medicine%20Procedures.pdf>

[88] <https://www.lifenethealth.org/sites/default/files/files/68-20-006-02.pdf>